

A New Approach to the Derivation of Newton's Law of Gravitation by Utilizing Kepler's Laws

Amitabh Kumar

V.K.S. University, Ara

Corresponding Author: Amitabh Kumar amitabhkumar8102@gmail.com

ARTICLE INFO

Keywords: India, Kepler's Law, Newton's Law

Received : 10 July

Revised : 20 August

Accepted: 25 September

©2024 Kumar: This is an open-access article distributed under the terms of the [Creative Commons Attribution 4.0 International](https://creativecommons.org/licenses/by/4.0/).



ABSTRACT

This studies article explores a novel method to derive Newton's Standard regulation of Gravitation by using utilising Kepler's laws of planetary motion. Kepler's empirical laws provided the muse for information planetary orbits, but it become Newton's formulation of the law of gravitation that unified those observations within a framework of classical mechanics. This observe revisits the connection between Kepler's legal guidelines and Newton's idea, presenting an alternative derivation primarily based on Keplerian standards. by way of reformulating key ideas in phrases of orbital dynamics and pressure interactions, this approach offers a clearer physical interpretation of ways Newton's inverse-rectangular law arises from Kepler's observations

INTRODUCTION

Kepler's laws of planetary motion, hooked up in the early 17th century, revolutionized our know-how of celestial mechanics. these empirical laws describe how planets orbit the sun and furnished important information for Newton's eventual method of his law of normal gravitation. Newton's regulation, but, turned into a theoretical step forward that went beyond empirical observations, affirming that every mass exerts an appealing force on every different mass, proportional to the product of their hundreds and inversely proportional to the square of the space between them.

The derivation of Newton's gravitational regulation from Kepler's laws is generally approached via traditional Newtonian mechanics, wherein centripetal force is equated with gravitational pressure. this article proposes a clean approach that emphasizes the intrinsic connection among the geometrical nature of Kepler's laws and the dynamical homes of gravitational interaction.

LITERATURE REVIEW

Alternative Derivation of Newton's Law from Kepler's Laws

We're going to reveal that the regulation of regular gravitation derives from Kepler's 0.33 law, and further, Kepler's first and second legal guidelines stem from Kepler's third law, as they are derived from the law of normal gravitation. Kepler's third regulation:-

$$\frac{a^2}{T^2} = C$$

(A regular, C, universally relates each planet's semi-fundamental axis (a) of its elliptical orbit to its orbital length (T)). In a round orbit with a steady distance (R) from the solar:-

$$a = R$$

Huygens and Newton independently formulated equations for centripetal and centrifugal forces by way of equating the planet's appeal to the solar with centripetal pressure in round orbits:-

$$F = m\omega^2 R$$

The planet's round speed, denoted by using ω , is intricately linked to its period, T, via a sincere system.

$$\omega = \frac{2\pi}{T}$$

The components is derived from 4 corresponding equations categorized as (1), (2), (three), and (4).

$$F = \frac{4\pi^2 Cm}{R^2}$$

The Kepler steady (C) relies upon simplest at the solar's mass (M). Forces among the solar and a planet, in addition to vice versa, are determined by using the loads of the objects involved. system (five) embodies these standards.

$$F = \frac{4\pi^2 C(M)m}{R^2}$$

METHODOLOGY

Swapping the sun and planet masses would not exchange the pressure of attraction, thanks to the distance's homogeneity and isotropy. formula (6) stays valid with exchanged loads (M and m). Top of Form

$$F = \frac{4\pi^2 C(M)m}{R^2} = \frac{4\pi^2 C(m)M}{R^2}$$

We derive the purposeful equation for the unknown function C (·). Top of Form
 $C(M)m = C(m)M$

Or
$$\frac{C(M)}{M} = \frac{C(m)}{m}$$

$$f(x) = f(y)$$

$$C(x) = kx, k = \text{Constant}$$

Consequently, we achieve the components:

$$F = \frac{4\pi^2 CkMm}{R^2}$$

The gravitational consistent G represents the force of enchantment among unit hundreds positioned at a unit distance:

$$M = 1, m = 1, R = 1$$

$$\Rightarrow G = F$$

$$G = 4\pi^2 k$$

In conclusion, we derive Newton's law of popular gravitation.

$$F = \frac{GMm}{R^2}$$

RESULTS AND DISCUSSION

This derivation highlights the deep connection among Kepler's observations and Newton's theoretical framework. Kepler's legal guidelines offer a kinematic description of planetary orbits, whilst Newton's regulation gives a dynamic rationalization rooted inside the inverse-square nature of gravitational appeal. by way of focusing on the consistent areal velocity and the need of centripetal pressure for orbital movement, we will at once derive the inverse-rectangular law from Kepler's laws without relying on the calculus-based techniques normally utilized in Newtonian mechanics.

CONCLUSIONS AND RECOMMENDATIONS

This study affords an opportunity approach to deriving Newton's regulation of gravitation from Kepler's laws, emphasizing the physical insights provided by way of Kepler's second and third laws. via spotting the inherent geometric and dynamic relationships in Kepler's description of planetary movement, we will rederive Newton's inverse-square law in a manner that offers a greater intuitive knowledge of the essential forces governing celestial mechanics. This method enriches our appreciation of the interplay among empirical observations and theoretical physics within the development of classical mechanics.

REFERENCES

- Arya, A. P. (1997). Introduction to Classical Mechanics. New York: Prentice Hall.
- Asri, N., Hasanuddin, J. S., & Azwar, A. (2013). Visualisasi Efek Relativistik Pada Gerak Planet. PRISMA FISIKA, 1(1), 1-7.
- Bama, A. A. (2002). Dasar Dasar Mekanika Klasik. Yogyakarta: Universitas Gajah Mada.
- Coffey, J. (2011). Does The Sun Rotate? Retrieved from <http://www.universetoday.com/60192/does-the-sun-rotate/>
- Douglas, G. C. (2001). Physics. Jakarta: Erlangga.
- Grayzeck, Ed. (2016). Sun Fact Sheet. Retrieved from <http://nssdc.gsfc.nasa.gov/planetary/factsheet/sunfact.html>
- Galuh Titi Fatimah et al 2019 J. Phys.: Conf. Ser. 1282 012037 Analysis of Kepler's law to the movement of celestial bodies
- Meishu, L., Jun, S., Weiguo, W., & Jianlong, L. (2017). Visualization of Kepler's Laws of Planetary Motion. Phys. Educ., 52, 025006.
- P N Antonyuk 2021 J. Phys.: Conf. Ser. 2081 012012 Derivation of the law of universal gravitation from Kepler's laws
- Sarojo A G 2002 Seri Fisika Dasar Mekanika (Jakarta: Salemba Teknika)
- Suraina, Arman Y and Lapanporo B 2015 Simulasi Orbit Planet dalam Tata Surya dengan X. Metode Euler, Leapfrog Dan Runge-Kutta PRISMA FISIKA 3 (2) 69-74
- William D R 2017 Planetary Fact Sheet (<http://nssdc.gsfc.nasa.gov/planetary/factsheet/>)
- Wospakrik H J 1987 Teori Kerelatifan Umum Einstein dan Biografi Albert Einstein (Bandung: Institute Teknologi Bandung)